





CAAN SPOR ORGANİZASYONLARI VE SPOR MALZEMELERİ İTH. İHR. SAN. TİC. LTD. ŞTİ.

## Basketbol Ürün Kataloğu

The One - It's Original Concept and Your Only One



INI		С	v
$\Pi \Lambda$	U	ᆮ	Λ

2	Introduction
3-4	Backstop Lineup
5-8	FIBA Approved Backstop
9-12	Other Backstop
13	Backboard / Ring
14	Luminous Frame / Shot Clock
15	Scoreboard
16	Foul Indicator
17	Miscellaneous Goods
18	Electric System Connection


# The Best Quality for Your Best Performance


Senoh's Basketball Expertise is cultivated from its history since 1955

Senoh's basketball equipment is all made in Japan.

Various sized backstops with the highest standards are available and the products lineup can fulfill a wide range of requirements for stadium, gymnasium, school, and park.

Senoh is proud of providing customers with the best quality that are absolutely safe and have a long life.





1955







1982 2007

FIBA World Championship Model





FIBA, the world governing body for basketball, is an independent association formed by 5 FIBA Zones and 213 National federations of basketball. Recognized as the competent authority in basketball by the International Olympic Committee (IOC).

Senoh has been the approved partner of FIBA for backboard support units since 1998.

Level 1 High Level Competitions

Main FIBA official competitions as Olympic Tournaments; World Championships for Men, Women, U-19 and U-17; Zone Championships for Men and Women.

Level 2 Medium Level of Competitions


All other FIBA Official Competitions and high level competitions of the national federations.

Level 3 Other competitions

All other competitions not included in the above.

#### DA0950 Orange Goal G






#### Electric Actuator Drive System

- FIBA approved (Level 1 & 2)
- · 1460kg
- W1900 x L6420 x H3950mm (body W1447mm)
- W1900 x L5300 x H1690mm (when folded)
- · Court line to the wall: 5100mm

▶ See P.5

DA0955 Spring Goal G






#### Counter-weight spring drive system

- FIBA approved (Level 1 & 2)
- 1350kg
- W1900 x L6420 x H3950mm (body W1567mm)
- W1900 x L5136 x H1950mm (when folded)
- · Court line to the wall: 5400mm

▶ See P.6

DA0665 Orange Goal







#### **Electric Actuator Drive System**

- FIBA approved (Level 3)
- · 1200kg
- · W1900 x L5260 x H3950mm (body W1087mm)
- W1900 x L4028 x H1870mm (when folded)
- · Court line to the wall: 3850mm

► See P.7

#### DA0331 Spring Goal





#### Counter-weight spring drive system

- FIBA approved (Level 3)
- 1030kg
- W1900 x L5130 x H3950mm (body W1110mm)
- · W1900 x L3885 x H1900mm (when folded)
- · Court line to the wall: 4200mm

▶ See P.8

#### DA0711 Parallel Goal 21



Court End Line

Wall

1200 1420 1664

3120

Recommended distance from Wall to End Line


#### Electric Actuator Drive System

- · 1380kg
- W1900 x L4904 x H3950mm (body W1084mm)
- W1900 x L4005 x H1944mm (when folded)
- · Court line to the wall: 3120mm

▶ See P.9

DA0841 Parallel Goal






#### Electric Actuator Drive System

- · 1000kg
- W1900 x L4840 x H3950mm (body W1110mm)
- W1900 x L2912 x H2143mm (when folded)
- · Court line to the wall: 3800mm

▶ See P.10

DD0701 Spring Goal S






#### Counter-weight spring drive system

- 520kg
- W1900 x L6420 x H3950mm (body 1447mm)
- W1900 x L3086 x H1903mm (when folded)
- · Court line to the wall: 2500mm

▶ See P.11

DD0541 Outdoor Basket Goal





- 470kg
- W1800 x L6420 x H3950mm

▶ See P.11

DAXXXX Ceiling Suspended Goa



DBXXXX Wall Mounted Goal (fixed type



DCXXXX Wall Mounted Goal (forlding type)



▶ See P.12

▶ See P.12

▶ See P.12



Backstop "Orange Goal G"

FIBA approved (Level 1 & 2)

Electric actuator drive system

Heavy duty steel frame construction

Clear reinforced glass made backboard with safety pads on lower edge

Orange enameled pressure-release rings with nets

Body protecting cushion padding


Available in mini-basketball height

with setting gauge , With caster

H3950 x L6420 x W1900mm (body W1447mm) H1690 x L5300 x W1900mm (when folded)

1460kg / unit

AC100V 550VA (voltage adjusted as per request)



DA090M11 Floor Apparatus for DA0950

Anchor socket Φ77mmxD350mm

Top plate L146xW170mm

A set of 4 pcs for 1 backstop unit



Backstop "Spring Goal G"

FIBA approved (Level 1 & 2)

Counter-weight spring drive system, manual type

Heavy duty steel frame construction

Clear reinforced glass made backboard with safety pads on lower edge

Orange enameled pressure-release rings with nets


Body protecting cushion padding

Available in mini-basketball height

with setting gauge , With caster

H3950 x L6420 x W1900mm (body W1567mm) H1950 x L5136 x W1900mm (when folding)

1350kg / unit



DA090M42 Floor Apparatus for DA0955

Anchor socket  $\Phi77mmxD350mm$ 

Top plate L146xW170mm

A set of 4 pcs for 1 backstop unit



Backstop "Orange Goal"

FIBA approved (Level 3)

Electric actuator drive system

Heavy duty steel frame construction

Clear backboard with safety pads on lower edge

Orange enameled pressure-release rings with nets

Body protecting cushion padding

Available in mini-basketball height

With caster

H3950 x L5260 x W1900mm (body W1087mm) H1870 x L4028 x W1900mm (when folded)

1200kg / unit

AC100V 550VA (voltage adjusted as per request)



DA060004 Setting Gauge for DA0665

W1140 x L950 x H45mm

22kg / unit



Backstop "Spring Goal"

FIBA approved (Level 3)

Counter-weight spring drive system, manual type

Heavy duty steel frame construction

Clear backboard with safety pads on lower edge

Orange enameled pressure-release rings with nets

Body protecting cushion padding

Available in mini-basketball height

With caster

H3950 x L5130 x W1900mm (body W1110mm) H1900 x L3885 x W1900mm (when folded)

1030kg / unit



DA030002 Setting Gauge for DA0331

W110 x L480 x H70mm

23kg / unit



Backstop "Parallel Goal 21"

Electric actuator drive system

Heavy duty steel frame construction

Clear backboard with safety pads on lower edge

Orange enameled pressure-release rings with nets

Body protecting cushion padding

Available in mini-basketball height

With caster

H3950 x L4904x W1900mm (body W1084mm) H1944 x L4005 x W1900mm (when folded)

1380kg / unit


AC100V 550VA (voltage adjusted as per request)



DA070001 Setting Gauge for DA0711

W110 x L480 x H70mm

23kg / unit



Backstop "Parallel Goal"

Electric actuator drive system

Heavy duty steel frame construction

Clear plastic made backboard with safety pads on lower edge

Orange enameled pressure-release rings with nets

Body protecting cushion padding

Available in mini-basketball height

With caster

H3950 x L4840 x W1900mm (body W1110mm) H2143 x L2912 x W1900mm (when folded)

1000kg / unit

AC100V 550VA (voltage adjusted as per request)



DA080001 Setting Gauge for DA0841

W110 x L480 x H70mm

23kg / unit



#### DD0701

#### Backstop "Spring Goal S"

Counter-weight spring drive system, manual type

Heavy duty steel frame construction

Clear backboard with safety pads on lower edge with ring and net

Body protecting cushion padding

With caster

H3950 x L4118 x W1900mm (body W1060mm) H1903 x L3086 x W1900mm (when folded)

560kg / unit

Court line to the wall: 2500mm



#### DD0541

Backstop "Outdoor Goal"

For outdoor

Pickets setting up

FRP backboard with ring and net

Single post with padding

H3950 x L4120 x W1800mm

470kg / unit





#### DAXXXXXX Ceiling Mounted Goal

Hanged from ceiling

Remote control or manual chain system





#### DBXXXXXX Wall Mounted Goal

Fixed to the wall





#### DCXXXXXX Wall Mounted Goal

Attached to the wall

Foldable by remote control or crank handle

Adjustable in both horizontal and vertical leveling

#### ■ Remarks (Structure Requirement)

- \* Secure fixings to the overhead roof structure are required. It may be necessary for additional steel work to be incorporated during the construction of the building or alternatively we can arrange to supply and fit additional supporting steel work ourselves at the same time as the main installation is undertaken.
- \* The general constructor will be required to supply and all overhead steelwork to our specifications. All loadings to be approved by structure engineer.
- \* All wall fixings to be drawn upon the assumption that the walls are of a load base material unless otherwise informed.
- \* All fixings to be verified completion.



#### DA100Q50 Glass Backboard

For Orange Goal G & Spring Goal G

Reinforced glass made

Safety pad on lower edge

1800 x 1050mm, 94kg




#### DA090M14 Plastic Backboard

For Orange Goal, Spring Goal, etc.

Clear plastic made

Safety pad on lower edge


1800 x 1050mm, 46kg



#### DA100N71 Honeycomb Flush Backboard

Honeycomb flush board

1800 x 1050mm, 16kg



#### DA100N72 FRP Backboard

FRP is overlaid on plywood board

1800 x 1050mm, 30kg




#### DA100Q38 Plastic Backboard

For mini basketball

Clear plastic made

1200 x 800mm, 28kg



#### DA100Q37 Honeycomb Flush Backboard

For mini basketball

Honeycomb flush board

1200 x 800mm, 10kg



#### DA100R23 Ring & Net

Pressure-release ring with net

Orange enameled

Internal Diameter: 450mm





DS4502 Luminous Frame (for Plastic Backboard) DS4503 Luminous Frame (for Glass Backboard)

Attached to behind of backboard

LED with diffusible acrylic panel

W33mm, total length4987mm

Control board: W230 x D260 x F80mm, 2.5kg

Power cord 2m x 1, signal cord 50m x 1, interlocking cord 2m x 1  $\,$ 

AC100V 60W (voltage adjusted as per request)

Interlocked with Shot clock(DS2873/DS2874) Available

DS2873 Shot Clock (for DA0952/DA0665) DS2874 Shot Clock with Game Clock (for DA0957)

Shot clock switchable 24 or 30 sec.

Game clock time max 99 min. 59 sec.

1/10 sec.is indicated for last 60 sec.

Buzzer and flash at time over

Power cord 3m x 1, signal cord 50m x 2

Display: W592 x T128 x H632mm, 9kg/unit

Control board: W300 x D280 x H110mm, 4.5kg/unit

AC100V 18W (voltage adjusted as per request)





DS3442 Shot Clock (for DA0952/DA0665)

DS3444 Shot Clock (for DA0957)
DS3441 Shot Clock (for DA0331/DA0713)
DS3660 Shot Clock (for DA0841)

Shot clock switchable 24 or 30 sec.

Power cord 3m x 1, signal cord 40m x 2

Display: W470 x T57 x H425mm, 4.2g/unit

Control board: W150 x D200 x H85mm, 1.8kg/unit

AC100V 50W (voltage adjusted as per request)

#### DS3240 Shot Clock Stand

Power cord 3m x 1, signal cord 40m x 2

W540 x D555 x H970mm, 10kg/unit

Display: W470 x T57 x H425mm

Control board: W135 x D205 x H75mm, 2kg/unit

AC100V 100W (voltage adjusted as per request)







Laptop



#### DS7000 Electric Scoreboard

International competition level

Numbers: LED 7 segment, Teams: 24 x 96 dot LED

Indicates team, time, scores, fouls of team and individuals, and set counts

Set of 2 scoreboards with 1 time control board, 1 score control board,

1 computer for team and foul input

Power cord  $5m \times 1$  for control board,  $20m \times 2$  for display, signal cord  $50m \times 2$ 

W3820 x D900 x H1900mm, 250kg/unit

Display : W3820 x D170 x H800mm

AC100V 600W (voltage adjusted as per request)





#### DS0130 Manual Scoreboard

for Basketball and Volleyball

Back board for free writing

Set: 1-5, Score: 0-199

Water-proof score canvas H420 x W180mm

W1540 x D630 x H1749mm, 23kg/unit

### DS2220 Electric Scoreboard

Set of 1 scoreboard and 1 control board

LED 7 segment

Magnet board for team name indication

Power cord 20m x 1, signal cord 50m x 1

W1100 x D670 x H1870 mm, 45kg/unit

Display : W1100 x D120 x H500mm

Control board: W280 x D300 x H100mm, 3kg/unit

AC100V 300W (voltage adjusted as per request)







#### DS3070 Foul Indicator Stand

Foul indicators for individual and team

With team foul indication lamp at top

Set of 2 indicators and 1 control board

LED 7-segment with 3 face-display

Power cord 20m x1, signal cord 10m x2

W800 x D800 x H1920 mm, 23kg/unit

Control board: W300 x D250 x

H120mm, 3kg/unit

AC100V 200W

(voltage adjusted as per request)

#### DS3511 Foul Indicators on Desk

Foul indicators for individual and team

With team foul indication lamp at top

Set of 2 indicators and 1 control board

LED 7-segment with 3 face-display

Power cord 20m x 1, signal cord 2m x 2

Ф210 x H385 mm, 12kg/unit

Control board: W300 x D220 x

H90mm, 3kg/unit

AC100V 120W

(voltage adjusted as per request)

#### DS3510 Foul Indicators on Desk

Foul indicators for individual and Team

With team foul indication lamp at top

Set of 2 indicators and 1 control board

LED 7-segment with 3 face-display

Power cord 3m x 1, signal cord 2m x 2


Φ210 x H440mm, 6kg/unit

Control board: W220 x D150 x

H100mm, 2kg/unit

AC100V 100W

(voltage adjusted as per request)





#### DS5040 Foul Indicator (for Team)

5 plates in box

Box : W278 x D143 x H572mm

Polyvinyl made

#### DS5120 Foul Indicator (for Individual)

5 plates in box

Box : W278 x D143 x H572mm

Polyvinyl made





#### DS310001 Loud Sound Buzzer

For competitions

Sound with 3 types of tones

Power cord 6.5m x 1, signal cord 2m x 1

W390 x D274 x H206mm, 8kg

AC100V 150W (voltage adjusted as per request)

#### DS380001 Loud Sound Buzzer

For school (education)

Sound with 3 types of tones

Power cord 6 m x 1 , signal cord 2m x 2 for each team

W290 x D260 x H130mm, 6kg

AC100-240V 120W



#### DS4600 Alternating Possession Indicator

W420 x D190 x H120mm, 3.5kg

AC100V 60W (voltage adjusted as per request)



#### DS6020 Official Table

W3022 x D711 x H850mm, 106kg

DS4600 included



#### DK0600 Ball Cage

For 21basket balls (42 volley balls)

L875 x D650 x H670mm

L875 x D650 x H125mm when folded

15kg




#### DZ9100 Net Height Measurer

Aluminum made


Measurement range 914-3050mm

3kg

#### Layout Plan 1



#### Layout Plan 2





CAAN SPOR ORGANİZASYONLARI VE SPOR MALZEMELERİ İTH. İHR. SAN. TİC. LTD. ŞTİ.

Fenerbahçe Mh. Bağdat Cd. No:78/6 34726 İstanbul - TÜRKİYE +90 216 4502989 www.senoh.com.tr info@senoh.com.tr